EASTERN UNIVERSITY, SRI LANKA

SPECIAL DEGREE EXAMINATION IN SCIENCE - 2012/2013

la fr((SEPTEMBER/OCTOBER - 2016)

PHS 13 SUPERCONDUCTIVITY

51

e: 02 hour

wer ALL Questions

lei

(5(a) Describe briefly the Meissner Effect as applied to the superconducting state.

b) Define the critical magnetic field (H_c) of a superconductor and sketch the variation of the critical magnetic field (H_c) with temperature (T) for a superconductor.

(c) Distinguish between Type I and Type II superconductors giving examples for each case.

(d) Sketch the variation of magnetization (M) with applied magnetic field (B_a) for Type I and Type II superconductors.

Outline the main features of the BCS theory in explaining the phenomenon of perconductivity in metals and alloys paying a particular attention to the following uses

- a) the "electron-phonon interaction" and
- b) "Isotope Effect".
- c) according to the BCS theory of superconductivity, the value of the energy gap (in eV, at zero temperature) is given by $E_g = 3.5 kT_c$, where k is the Boltzmann constant and T_c is the critical temperature of the superconducting material.

Compute the value of E_g (in eV) for lead if $k = 8.62 \times 10^{-5} \text{ eV/K}$ and T_c is 7.2 K for lead.

1

03. The temperature dependence of the critical field strength in a superconduce approximately parabolic and given by the relation:

$$B_c(T) = B_c(0) \left[1 - \left(\frac{T}{T_c}\right)^2 \right]$$

where $B_c(0)$ is the extrapolated value of the critical field strength at absolute ze T_c is the critical temperature.

- (a) Sketch the variation of $B_c(T)$ with T for a superconductor.
- (b) For Nb₃Ge superconductor, the critical temperature T_c is 23.2 K and the magnetic field at 0 K is $B_c(0) = 34.0$ Tesla. Calculate the critical magnet for this material at 15 K.

))

)e

es

1

18

e

C

(

1

lu

- 04. (a) What are High Temperature Superconductors?
 - (b) Give the chemical compositions and approximate T_c values of <u>four</u> difference temperature superconducting materials.
 - (c) How would you synthesize and characterize a sample of Y-Ba-CuO basy temperature superconducting material in the laboratory?