

EASTERN UNIVERSITY, SRI LANKA

THIRD EXAMINATION IN SCIENCE - 2002/2003

SECOND SEMESTER

(MARCH/APRIL 2004)

REPEAT

PH 304 CONDENSED STATE PHYSICS

Time: 01 hour.

Answer ALL Questions

1. (a) Define the terms *lattice*, *basis*, *conventional unit cell* of a crystal structure. What do you understand by Miller indices (hkl) of a crystal plane? Show that the spacing between consecutive parallel planes of Miller indices (hkl) in a cubic crystal of lattice constant a is given by

$$d_{hkl} = \frac{a}{\sqrt{h^2 + k^2 + l^2}}$$

- (b) What do you understand by *packing fraction* of a crystal structure? Crystal structure of a metal is *fcc*. The spacing d_{100} between adjacent (100) planes of the crystal is $2A^\circ$. Calculate

- (i) radius of the atoms in the crystal
- (ii) packing fraction of the crystal structure.

What are the assumptions you have made in these calculations?

2. (a) If the Aluminium lattice is *fcc* and the nearest neighbor distance between Aluminium atoms is $2.86A^\circ$. find

- (i) The lattice constant
- (ii) The spacing between (111) planes.
- (iii) The number of atoms per unit volume
- (iv) The density of Aluminium

You may assume that atomic mass of Aluminium is $26.78g$ and the Avogadro's number is $6.023 \times 10^{23} \text{mole}^{-1}$.

- (b) Briefly describe the Bragg's diffraction in crystals and show that the Bragg condition for crystal diffraction on (hkl) planes is

$$2d_{hkl} \sin \theta_{hkl} = n\lambda$$

The symbols have their usual meanings.

$K_\alpha - X$ Rays from a target are incident on a cubic crystal of lattice constant $4.06A^\circ$ and the diffracted beam from (111) planes is observed at a Bragg angle 8.7° . Assuming order of diffraction $n = 1$ determine the wave length of $K_\alpha - X$ Ray.