

**DIFFERENT LEVELS OF NITROGEN FERTILIZER
AND JEEWAMIRTA APPLICATION ON GROWTH
AND YIELD OF *Abelmoschus esculentus* L.**



M L M. FAZEEL



FAG622



Library
Eastern University, Sri Lanka

**FACULTY OF AGRICULTURE
EASTERN UNIVERSITY
SRI LANKA
2019**

ABSTRACT

Okra is one of the important vegetable in the Eastern region of Sri Lanka. It can be response to the both organic and inorganic fertilizers to improve the growth and yield. Jeewamirta is an organic liquid fertilizer. The study investigated the “different levels of Nitrogen fertilizers and Jeewamirta application on growth and yield of *Abelmoschus esculentus* L. This experiment was carried out in the Crop Farm, Eastern university of Sri Lanka as a pot experiment during January to April 2019. The experiment was with six treatments and eight replicates in a Completely Randomised Design. The treatments are T1 (100% Urea), T2 (75% Urea + 25% Jeewamirta), T3 (50% Urea + 50% Jeewamirta), T4 (25% Urea + 75% Jeewamirta), T5 (100% Jeewamirta), T6 (Urea + TSP + MOP (control)) and tested their performance on the growth and yield.

Growth parameters and yield parameters shown significant increase treated with 25% Urea + 75% Jeewamirta (T4) in comparison with other treatments. This might be due to the presence of macro and micronutrients as well as growth promoting substances like IAA, GA and Cytokinins in Jeewamirta. The treatment receiving organic liquid fertilizer resulted in highest fungal population meanwhile Jeewamirta had the highest bacterial and actinomycetes population. Which regulate the plant function including cell division, plant growth and enzymatic activities; Promote root growth (Mg) and root development (P); Stimulate the flowering (K) and ultimately enhance growth and yield of plant.

The 25% Urea and 75% Jeewamirta (T4) increased plant height (20.89%), chlorophyll content (13.65%), number of leaves per plant (24.96%), number of pods per plant (21.09%), fresh and dry weight of roots (154.15%, 193.50%), fresh and dry weight of shoot (85.52%, 105.01%) fresh and dry weight of pods (32.53%, 134.63%), length and girth of pods (27.72%, 39.19%), leaf area (37.72%), tap root length (21.02%), number of lateral roots (76.19%) and total yield

per hectare (61.11%) in comparison to plants applied with Department of Agriculture recommended inorganic fertilizers (Control - T6).

Therefore, the 25% Urea and 75% Jeewamirta fertilizer could be recommended for the cultivation of *Abelmoschus esculentus* L. in order to enhance the growth and yield which is environmental friendly for Sustainable Agriculture.

TABLE OF CONTENTS

ABSTRACT.....	i
ACKNOWLEDGEMENT.....	iii
TABLE OF CONTENT.....	v
LIST OF TABLES.....	ix
LIST OF FIGURES.....	xi
LIST OF ABBREVIATION.....	xii
CHAPTER 1	
1. INTRODUCTION.....	01
CHAPTER 2	
2. LITERATURE REVIEW.....	05
2.1. Okra	
2.1.1. Taxonomy.....	05
2.1.2. History and origin of okra.....	05
2.1.3. Structure and botany of crop.....	07
2.1.4. Climate, soil and growth requirement.....	08
2.1.5. Uses.....	09
2.1.6. Nutritional composition of okra.....	09
2.1.7. Distribution of okra.....	10
2.1.8. Present status of okra cultivation in the world.....	11
2.1.9. Okra cultivation in Sri Lanka	
2.1.9.1. Present status of okra cultivation in Sri Lanka.....	13
2.1.9.2. Recommended varieties of okra cultivated in Sri Lanka.....	14
2.2. Effect of organic fertilizers on growth and yield	
2.2.1. Jeewamirta liquid fertilizer.....	17

2.2.2. Composition of Jeewamirta.....	18
2.2.3. Effect of Jeewamirta on growth and yield.....	19
2.2.4. Effect of Jeewamirta on microbial population and soil property.....	21
2.2.5. Economics of application Jeewamirta.....	21
2.2.6. Influence of Jeewamirta by controlling pest and disease.....	23
2.3. Effect of inorganic nitrogen fertilizers on growth and yield.....	23
2.4. Effect of combined application of inorganic fertilizers and organic fertilizers on growth and yield.....	30

CHAPTER 3

3. MATERIALS AND METHODS

3.1. Experimental side.....	33
3.2. Preparation of pots.....	33
3.3. Collection of seeds.....	34
3.4. Agronomic practices	
3.4.1. Seeding and thinning out.....	34
3.4.2. Irrigation.....	34
3.4.3. Fertilizer application.....	34
3.4.4. Weeding.....	35
3.4.5. Pest and disease management.....	35
3.5. Jeewamirta	
3.5.1. Preparation of Jeewamirta liquid fertilizer.....	35
3.6. Treatments	
3.6.1. Treatments code and description.....	37
3.6.2. Treatment application of Jeewamirta.....	37
3.6.3. Treatment application of urea.....	37
3.7. Experimental design.....	38

3.8. Measurements

3.8.1.1. Plant height (cm)	38
3.8.1.2. Number of leaves.....	39
3.8.1.3. Leaf area (cm^2)	39
3.8.1.4. Chlorophyll content of leaves.....	39
3.8.1.5. Fresh weight of shoot (g).....	39
3.8.1.6. Dry weight of shoot (g).....	39
3.8.1.7. Tap root length (cm).....	40
3.8.1.8. Number of lateral roots.....	40
3.8.1.9. Fresh weight of root (g).....	40
3.8.1.10. Dry weight of root (g).....	40
3.8.2. Yield parameters	
3.8.2.1. Number of flowers per plant.....	40
3.8.2.2. Number of pods per plant.....	41
3.8.2.3. Length of pods.....	41
3.8.2.4. Girth of pods.....	41
3.8.2.5. Total yield.....	41
3.9. Analysis of data.....	41

CHAPTER 4

4. RESULTS AND DISCUSSION

4.1. Growth parameters

4.1.1. Plant height (cm).....	43
4.1.2. Number of leaves per plant.....	46
4.1.3. Chlorophyll content of leaves.....	48
4.1.4. Leaf area (cm^2)	51

4.1.5. Fresh weight of shoot (g).....	53
4.1.6. Fresh weight of root (g).....	55
4.1.7. Dry weight of shoot (g).....	57
4.1.8. Dry weight of root (g).....	59
4.1.9. Average tap root length (cm).....	61
4.1.10. Number of lateral roots.....	63
4.1.11. Number of flowers per plant.....	65
4.2. Yield parameters	
4.2.1. Average length and girth of pods (cm).....	67
4.2.2. Total number of pods per plant.....	69
4.2.3. Fresh and dry weight of pods (g).....	71
4.2.4. Total yield per hectare.....	73
CHAPTER 5	
5. CONCLUSIONS.....	75
CHAPTER 6	
6. SUGGESTIONS.....	76
REFERENCES.....	77